




Radiated Emission Measurement

Project No.: PT2022S8

Data :#5

2022/5/12

14:43:04



Site : RE Chamber 2

Polarization: **Horizontal**

Temperature: 26 (C)

Limit: EN55015_03_QP

Power: AC 230V/50Hz

Humidity: 54 %RH

EUT: Adaptor

M/N: PT2022S8

Mode: 正常工作

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		119.8556	32.43	-10.21	22.22	40.00	-17.78	peak	
2	*	151.0666	37.74	-10.31	27.43	40.00	-12.57	peak	
3		252.9482	29.13	-5.82	23.31	47.00	-23.69	peak	
4		473.8347	31.47	-3.51	27.96	47.00	-19.04	peak	

*:Maximum data x:Over limit !:over margin




Radiated Emission Measurement

Project No.: PT2022S8

Data :#6

2022/5/12

14:44:11



Site : RE Chamber 2

Polarization: Vertical

Temperature: 26 (C)

Limit: EN55015_03_QP

Power: AC 230V/50Hz

Humidity: 54 %RH

EUT: Adaptor

M/N: PT2022S8

Mode: 正常工作

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	33.2112	40.14	-8.40	31.74	40.00	-8.26	peak	
2		50.9420	33.06	-7.82	25.24	40.00	-14.76	peak	
3		72.0843	32.92	-10.04	22.88	40.00	-17.12	peak	
4		151.0666	37.56	-10.31	27.25	40.00	-12.75	peak	

*:Maximum data x:Over limit !:over margin